



C - PS



C - GGC



C - FSV



C - TMBV



C - FBV



C - CBV



C - MMBV



C - FWBV



C - BFV



C - DOV



C - TOV



C - CPS

NEWAY

NEWAY

州威股有限公

666


+86-512-66615637

Domestic.sales@neway.com.cn

<https://www.neway.com.cn/>

ICV-2024

ICV-2024



603699)

230,000

Ansys Fe-safe CF-design SiemensPLM NX

SAP

80

ISO API




ISO 9001 , API 6A, API 6D, API 600

CE-PED AD2000 TA-Luft,

API 624, ISO 15848

API 607, API 6FA

SIL



NORSOK



ISO9001



CE/PED



TA Luft




ABS




AD2000



气



LNG



40





LNG




150

04 |105


设计特色




• DAL




设计特色



316SS
316SS, 904SS, 6mo
316SS, 904SS, 6mo



• (PST)





-
- »
- »
- »
- »
- »
- »
- »

	1/2"~10"(DN10~DN300)
	Class 150~2500(PN16~PN420)
	-196~425℃

-
- »
- »
- »
- »
- »
- »
- »

- - »
 - »
 - »
 - »
 - »
 - »
 - »
- ESDV)
MOV)

-
- »
- »
- »
- »
- »
- »
- »




- - »
 - »
 - »
 - »
 - »
 - »
 - »
- ISO 5211

	2"~60"(DN50~DN1500)
	Class150~2500(PN16~PN420)
	-196~425℃

-
- »
- »
- »
- »
- »
- »
- »

- - »
 - »
 - »
 - »
 - »
 - »
 - »
- ESDV)
MOV)

- - »
 - »
 - »
 - »
 - »
 - »
 - »
- LNG



- - »
 - »
 - »
 - »
 - »
 - »
 - »
- ISO 5211

	2"~160"(DN50~DN4000)
	Class 150~2500(PN16~PN420)
	-253~816

-
- »
- »
- »
- »
- »
- »
- »

- - »
 - »
 - »
 - »
 - »
 - »
 - »
- ESDV)
MOV)

- - »
 - »
 - »
 - »
 - »
 - »
 - »
- &
LNG

HIPPS /HIPPS



•HIPPS



- - »
 - »
 - »
 - »
 - »
 - »
 - »
- SIL3
2s

- - »
 - »
 - »
 - »
 - »
 - »
 - »
- API 170
API RP 14B
API RP 14C
SHELL DEP 32.80.10.10
PDO SP-2354

-
- »
- »
- »
- »
- »
- »
- »

- - »
 - »
 - »
 - »
 - »
 - »
 - »
- Off-shore
On-shore
LNG

PDS



- ▶
- ▶▶
- ▶▶
- ▶▶
- ▶▶
- ▶▶
- ▶▶
- ▶▶

	2"~20"
	150~1500
	10~300 / O-C-O
	SIL 2

-
-
-
-

» » -
» » -
» »

-
- ▶▶
- ▶▶
- ▶▶
- ▶▶
- ▶▶

ESDV)
MOV)

-
-
-
-
-
-

PDS

PX

执行器阀门概览



CSS/CBE/CBV/CBC/CSC

-
- ▶
- ▶
- ▶
- ▶

	1/2"~20"
	150~2500
	/

-
- ▶
- ▶
- ▶

▶▶ —






▶▶ —

- ▶
- ▶
- ▶
- ▶
- ▶

ESDV)
MOV)

-
- ▶
- ▶
- ▶
- ▶
- ▶

» LNG



Damper of 7th GSP PROJECT		8"~102"	150LB	
90	PDH	8"~96"	300LB	
(LNG)		8"~40"	150LB	
45	/	8"~40"	150LB~600LB	
2000		8"~28"	150LB	
12	FLNG	8"~28"	150LB~600LB	
9-7	19-1	8"~24"	300LB	
		8"~24"	150LB~300LB	
		8"~16"	150LB	
		8"~16"	150LB	
LNG PIPELINE VALVES		8"~24"	600LB	
		8"~14"	150LB	
LNG		6"~32"	600LB	
19		6"~28"	300LB~900LB	
150		6"~20"	300LB~600LB	
		6"~16"	300LB	
10 FGSS		6"	150LB	
		4"~36"	150LB~1500LB	
QKMJSEC		2.5"~36"	150LB	
Mariana	2	8"~26"	150LB	
		8"~12"	150LB	
10	DMF、10	8"	150LB	
480	/	3/4"~1"	150LB~300LB	,
		12"~14"	300LB~900LB	
LNG		1-1/2"~6"	150LB~900LB	
1.5	LNG	1"~5"	150LB	
40	60	1"~12"	150LB~900LB	
237B		3/4"~10"	150LB	
5500	LPGNH3VCM	1/2"~3"	150LB~300LB	
120		8"~44"	150LB~600LB	
		8"~28"	150LB~300LB	
		8"~24"	150LB~2500LB	
560	/	8"~16"	150LB~2500LB	
		8"~16"	2500LB	
		8"	1500LB	
		6"~8"	150LB~300LB	
12		2-1/2"~32"	150LB~300LB	
		8"	300LB	
		5"~6"	600LB	
BDO		4"~10"	2500LB~4500LB	
		3"~6"	300LB	
		2"~4"	300LB	
		6"~28"	2500LB	
2X60		2"~4"	150LB~600LB	
220	/	3/4"~12"	900LB~1500LB	
		3/4"~1"	800LB~1500LB	
		4"	300LB	
15		3"	150LB	



2014
2,295



2006
2013
230,000
140,061



2008
2015
112,500
98,000



2008
40,000
20,000



2017
3,000
30,000



2020
30,000
19,000 ()
7,000 ()

产品质量担保

